



TECHNOLOGY – OUR AIM IS TO ACHIEVE THE HIGHEST PRECISION

RELIABILITY

Our products stand for process-reliability. In addition we are also a reliable partner and employer.

TECHNOLOGY

Our technology is the foundation for high-end quality products

QUALITY

The quality of our products is reflected in results that impress by their precision.

OUR TECHNOLOGY

Volumetric dosing and filling systems are based on the **ENDLESS PISTON PRINCIPLE** and are used for low to high viscosity fluids.

The core of every application is a purely volumetrically conveying dosing pump. The interaction of rotor and stator results in a feed and dosing characteristic that is similar to an endlessly moving piston.

This results in a pressure-stable, linear pump characteristic. This makes a clear statement about the ratio of revolution, time and flow rate. Therefore, a constant volume can be dosed either over time or over a number of revolutions. A dosing accuracy at the pump outlet of \pm 1% (depending on the material), which in practice is often even better. This is guaranteed.





HIGH DEGREE OF PROCESS RELIABILITY

of low to high viscosity, abrasive, pressure and structure-sensitive, highly filled fluids sensitive to shear – for dispensing independently of viscosity.



CONTINUOUS INNOVATION

according to our claim: "Standing still means moving backwards – keeping moving is the only way to advance." Creativity and imagination create innovations.



DISPENSER WITH A LONG SERVICE

and extremely high efficiency due to low wear and low friction when conveying ma-



ALL FROM ONE SOURCE

From emptying to degassing to dispensing systems. Engineering and material know-how included!



DEFINED FLOW RATE VOLUME

for a repeatability of > 99 % with linear dependency between the application quantity and revolution for a variable robot speed.



MADE IN GERMANY

All process steps are created and executed in Töging. According to the quality feature Made in Germany and the "Think global, act local" approach.



VOLUMETRIC DISPENSING

with continuous non-stop dosing at the desired flow rate with maximum repeatability. Pulsation-free with minimal shearing and low pressure.



TESTS & TRAINING

In our Customer and Innovation Center (CIC), we offer training, dosing tests, events and also focus on your dosing application in a targeted approach.



BROAD APPLICATION RANGE

and individually adaptable systems for a wide range of different process applications.



MORE THAN 20 YEARS OF EXPERIENCE

are the base for extensive expert knowledge. A structured knowledge management helps to create optimal solutions.

|2 3|

ENGINEERING & PROJECT MANAGEMENT









Solutions with concept advice and process We maintain a close cooperation with madevelopment deliver the optimal result. terial manufacturers and a constant exchan-We listen, address your requirements and ge of experience for the optimization and qualification of application processes. Also wishes and offer you our long-term experience – this saves our customers time and directly with you in preliminary tests. resources.

3. PRELIMINARY TESTS

In our technology rooms, engineers and technicians are available to support our customers to test process requirements. Our range covers manual and mechanical tests, including optimization of our customers' applications.





Our experienced service engineers are the contact partners for our customers onsite. They provide support from the initial commissioning and process supervision, out any necessary repairs - either in our systems. through to the training of operators.



We offer our customers security in form After the system implementation we offer own service centre or at the customer's



6. AFTER SALES

of technical support and individual main- a wide range of services to support our tenance contracts. Our technicians carry customers – suitable for the life-cycle of the



PRODUCT PORTFOLIO

Efficient product handling during the emptying, conveying and dispensing of 1- and 2-component materials – including intuitive control technology. Our products are specially adapted to your material to be processed and integrated into your production process.

SYSTEMS FOR MATERIAL EMPTYING

Continuous and constant material supply for seamless production without interruptions.

Container volume: 30 ml - 1,000 l

Emptying capacity: individually customizable up to 7,000,000 mPas Viscosities:







ViscoMT-C/-CM

ViscoMT-D

ViscoMT-XS

SYSTEMS FOR MATERIAL PREPARATION

Homogeneous, air- and bubble-free pastes and fluids for a reliable dosing process buffering and degassing dosing material.

Container sizes: Withdrawal capacity: Viscosities:

2.51/3.51/151/251/801 individually customizable up to 2,000,000 mPas








ViscoTreat-Im ViscoTreat-R

ViscoTreat-I

DISPENSERS AND PUMPS FOR DISPENSING, APPLYING, SPRAYING AND FIL-LING APPLICATIONS

Reliable, accurate, automatic and with a high repeat accuracy: For precise material handling and exact compliance with the mixing ratio.





6



APPLICATION EXAMPLES



AUTOMOTIVE

Bead application of 1-component adhesive, i.e. MS polymer – antenna bonding




Bead application of 1-component sealant, i.e. silicone – headlight sealing



- control module potting



2-component potting, i.e. epoxy



E-MOBILITY

2-component potting, i.e. epoxy - sensor potting



Bead application of thermal paste - heat management battery pack





GENERAL INDUSTRY

Visually clear potting, i.e. acrylate – LED strip potting



Dam & Fill, e. g. epoxy - circuit board finishing



Application of a protective varnish, i.e. acrylate - circuit board coating



polyester – rotor potting



Potting with 2-component trickle resin, i.e. Dosing of chemically reactive material, i.e. electrolyte – battery pack production



Potting with thermal conductive adhesive, i.e. polyurethane – control element



8



AEROSPACE

Bonding with 1-component adhesive, i.e. epoxy - insert potting



ELECTRONICS

Optical bonding with 1-component adhe-

sive, i.e. UV- acrylate – display bonding

Filling with low-density core-filler, i.e. epoxy – filling honeycomb structures

Dot & bead application of 2-component sealant, i.e. polysulfide – seal caps, inter-







Glob Top with 1-component potting compound, i.e. UV epoxy – circuit board

Underfill with 1-component adhesive, i.e. Dualbonds – cavity sealing





potting





RENEWABLE ENERGIES

Bead application of 1-component adhesive, i.e. silicone – junction box bonding

Potting with 2-component sealant, i.e. silicone – junction box potting

Supplying of metal pastes to a screen printer, i.e. Al-/Ag pastes – PV-module









WE CAN DO EVEN MORE

Including feeding, conveying, buffering and degassing dosing material.

More information is available on **PAGE 6** or on our website at **WWW.VISCOTEC.DE**/ **EN/PRODUCTS**

10

WWW.VISCOTEC.DE

VISCOTEC PUMPEN- U. DOSIERTECHNIK GMBH

Address: Amperstraße 13

84513 Töging a. Inn

+49 8631 9274 0 Tel.: E-mail: mail@viscotec.de Web: www.viscotec.de

VISCOTEC AMERICA INC.

Tel.: +1 770 422 4281

E-mail: sales@viscotec-america.com Web: www.viscotec-america.com

VISCOTEC ASIA PTE. LTD.

Tel.: +65 6569 3629

E-mail: sales@viscotec-asia.com Web: www.viscotec-asia.com

VISCOTEC GREATER CHINA

+86 21 6165 9002 0 Tel.: E-mail: sales@viscotec-china.com Web: www.viscotec.com.cn

VISCOTEC INDIA PVT. LTD.

Tel.: +91 20 4104 7135 E-mail: sales@viscotec-india.com Web: www.viscotec-india.com

VISCOTEC FRANCE SASU

+ 33 5 56 17 64 36 Tel.: E-Mail: sales@viscotec.fr Web: www.viscotec.fr











